



# QuEChERS-Based LC/MS/MS Method for Multiresidue Pesticide Analysis in Fruits and Vegetables\*

UCT Product Number:

**EC4MSSA50CT-MP** (4 g anhydrous MgSO<sub>4</sub>, 1.0 g Sodium Acetate)

**ECMS12CPSA415CT** (1.2 g anhydrous MgSO<sub>4</sub>, 400 mg PSA)

July 2011

A high-throughput, QuEChERS analytical method (LC-MS/MS) is described for the part per trillion (ppt) determination of 191 pesticides in orange, peach, spinach and ginseng. Pesticide classes include carbamates, polar organophosphates, phenylureas, anilides, benzoyl phenylureas, conazoles, macrocyclic lactone, neonicotinoids, strobilurines, and triazines. This method was validated by the U.S. Food and Drug Administration (FDA).

## Analytes Covered in this Method

Table 1

Analyte	CASRN	Analyte	CASRN
<b>Acephate</b>	30560-19-1	Imazalil	35554-44-0
<b>Acetamiprid</b>	135410-20-7	Imidacloprid	138261-41-3
<b>Acibenzolar-S-</b>	135158-54-2	Indoxacarb	173584-44-6
<b>Alanycarb</b>	83130-01-2	Ipconazole	125225-28-7
<b>Aldicarb</b>	116-06-3	Iprovalicarb	140923-17-7
<b>Aldicarb sulfone</b>	1646-88-4	Isoprocarb	2631-40-5
<b>Aldicarb sulfoxide</b>	1646-87-3	Isoproturon	34123-59-6
<b>Ametryn</b>	834-12-8	Isoxaflutole	141112-29-0
<b>Aminocarb</b>	2032-59-9	Ivermectin	70288-86-7
<b>Amitraz</b>	33089-61-1	Kresoxim-methyl	143390-89-0
<b>Avermectin B<sub>1a</sub></b>	65195-55-3	Linuron	330-55-2
<b>Avermectin B<sub>1b</sub></b>	65195-56-4	Lufenuron	103055-07-8
<b>Azoxystrobin</b>	131860-33-8	Mefenacet	73250-68-7
<b>Benalaxyll</b>	71626-11-4	Mepanipyrim	110235-47-7
<b>Bendiocarb</b>	22781-23-3	Mepronil	55814-41-0
<b>Benfuracarb</b>	82560-54-1	Mesotrione	104206-82-8
<b>Benzoximate</b>	29104-30-1	Metalaxyl	57837-19-1
<b>Bifenazate</b>	149877-41-8	Metconazole.1	125116-23-6
<b>Bitertanol</b>	55179-31-2	Methabenziazuron	18691-97-9
<b>Boscalid</b>	188425-85-6	Methamidophos	10265-92-6
<b>Bromuconazole 46</b>	116255-48-2	Methiocarb	2032-65-7
<b>Bromuconazole 47</b>	116255-48-2	Methomyl	16752-77-5
<b>Bupirimate</b>	41483-43-6	Methoprotryne	841-06-5
<b>Buprofezin</b>	953030-84-7	Methoxyfenozide	161050-58-4
<b>Butafenacil</b>	134605-64-4	Metobromuron	3060-89-7

<b>Butocarboxin</b>	34681-10-2	Metribuzin	21087-64-9
<b>Butoxycarboxin</b>	34681-23-7	Mevinphos-E	813-78-5
<b>Carbaryl</b>	63-25-2	Mevinphos-Z	7786-34-7
<b>Carbendazim</b>	10605-21-7	Mexacarbate	315-18-4
<b>Carbetamide</b>	16118-49-3	Monocrotophos	6923-22-4
<b>Carbofuran</b>	1563-66-2	Monolinuron	1746-81-2
<b>Carbofuran, 3OH-</b>	16655-82-6	Moxidectin	113507-06-5
<b>Carboxin</b>	5234-68-4	Myclobutanil	88671-89-0
<b>Carfentrazone-ethyl</b>	128639-02-1	Neburon	555-37-3
<b>Chlorfluazuron</b>	71422-67-8	Nitenpyram	150824-47-8
<b>Chlorotoluron</b>	15545-48-9	Novaluron	116714-46-6
<b>Chloroxuron</b>	1982-47-4	Nuarimol	63284-71-9
<b>Clethodim</b>	99129-21-2	Omethoate	1113-02-6
<b>Clofentezine</b>	74115-24-5	Oxadixyl	77732-09-3
<b>Clothianidin</b>	210880-92-5	Oxamyl	23135-22-0
<b>Cyazofamid</b>	120116-88-3	Paclobutrazol	76738-62-0
<b>Cycluron</b>	2163-69-1	Penconazole	66246-88-6
<b>Cymoxanil</b>	57966-95-7	Phenmedipham	13684-63-4
<b>Cyproconazole A</b>	94361-06-5	Picoxystrobin	117428-22-5
<b>Cyproconazole B</b>	94361-07-6	Piperonyl butoxide	51-03-6
<b>Cyprodinil</b>	121552-61-2	Pirimicarb	23103-98-2
<b>Desmedipham</b>	13684-56-5	Prochloraz	67747-09-5
<b>Diclobutrazol</b>	75736-33-3	Promecarb	2631-37-0
<b>Dicrotophos</b>	141-66-2	Prometon	1610-18-0
<b>Diethofencarb</b>	87130-20-9	Prometryn	7287-19-6
<b>Difenoconazole</b>	119446-68-3	Propamocarb	24579-73-5
<b>Diflubenzuron</b>	35367-38-5	Propargite	2312-35-8
<b>Dimethoate</b>	60-51-5	Propham	122-42-9
<b>Dimethomorph A</b>	110488-70-5	Propiconazole	60207-90-1
<b>Dimethomorph B</b>	2274-67-1	Propoxur	114-26-1
<b>Dimoxystrobin</b>	149961-52-4	Pymetrozine	123312-89-0
<b>Diniconazole</b>	83657-24-3	Pyracarbolid	24691-76-7
<b>Dioxacarb</b>	6988-21-2	Pyraclostrobin	175013-18-0
<b>Diuron</b>	330-54-1	Pyridaben	96489-71-3
<b>Doramectin</b>	117704-25-3	Pyrimethanil	53112-28-0
<b>Emamectin B<sub>1a</sub></b>	155569-91-8	Pyriproxyfen	95737-68-1
<b>Epoxiconazole</b>	133855-98-8	Quinoxyfen	124495-18-7
<b>Eprinomectin B<sub>1a</sub></b>	123997-26-2	Rotenone	83-79-4
<b>Etaconazole</b>	60207-93-4	Secbumeton	372137-35-4
<b>Ethiofencarb</b>	29973-13-5	Siduron	26259-45-0
<b>Ethiprole</b>	181587-01-9	Simetryne	1014-70-6
<b>Ethofumesate</b>	26225-79-6	Spinosyn A	168316-95-8
<b>Etoxazole</b>	153233-91-1	Spirodiclofen	148477-71-8
<b>Famoxadone</b>	131807-57-3	Spiromefesin	283594-90-1
<b>Fenamidone</b>	161326-34-7	Spiroxamine	118134-30-8

<b>Fenarimol</b>	60168-88-9	Sulfentrazone	122836-35-5
<b>Fenazaquin</b>	120928-09-8	Tebuconazole	107534-96-3
<b>Fenbuconazole</b>	114369-43-6	Tebufenozide	112410-23-8
<b>Fenhexamid</b>	126833-17-8	Tebufenpyrad	119168-77-3
<b>Fenoxy carb</b>	79127-80-3	Tebuthiuron	34014-18-1
<b>Fenpropimorph</b>	67564-91-4	Teflubenzuron	83121-18-0
<b>Fenpyroximate</b>	134098-61-6	Terbumeton	33693-04-8
<b>Fenuron</b>	134098-61-6	Terbutryn	886-50-0
<b>Fludioxinil</b>	131341-86-1	Tetraconazole	112281-77-3
<b>Flufenacet</b>	142459-58-3	Thiabendazole	148-79-8
<b>Flufenoxuron</b>	101463-69-8	Thiacloprid	111988-49-9
<b>Fluometuron</b>	2164-17-2	Thiamethoxam	153719-23-4
<b>Fluoxastrobin</b>	361377-29-9	Thidiazuron	51707-55-2
<b>Fluquinconazole</b>	136426-54-5	Thiobencarb	28249-77-6
<b>Flusilazole</b>	85509-19-9	Thiofanox	39196-18-4
<b>Flutolanil</b>	66332-96-5	Thiophanate-methyl	23564-05-8
<b>Flutriafol</b>	76674-21-0	Triadimefon	43121-43-3
<b>Forchlorfenuron</b>	68157-60-8	Triadimenol	55219-65-3
<b>Formetanate HCl</b>	22259-30-9	Tricyclazole	41814-78-2
<b>Fuberidazole</b>	3878-19-1	Trifloxystrobin	141517-21-7
<b>Furalaxyll</b>	57646-30-7	Triflumizole	99387-89-0
<b>Furathiocarb</b>	65907-30-4	Triflumuron	64628-44-0
<b>Hexaconazole</b>	79983-71-4	Triticonazole	131983-72-7
<b>Hexythiazox</b>	78587-05-0	Vamidothion	2275-23-2
<b>Hydramethylnon</b>	67485-29-4	Zoxamide	156052-68-5

Deuterium Isotope Internal Standards	
<b>D10-Diazinon</b>	D6-diuron
<b>D6-Dichlorvos</b>	D6-Linuron
<b>D6-Dimethoate</b>	D6-Malathion

CDN-Isotopes (Montreal, QC, Canada)

### Analytical Stock Solutions

Prepare separate stock solutions of analytical standards, including the isotope labeled internal standards (ILIS) for individual compounds.

- Weigh 10-75 mg each and dissolve in 10 or 25 mL of acetonitrile, methanol, or methanol/water (50:50 v/v) in volumetric flasks
- Prepare intermediate solutions in 100mL volumetric flasks by mixing stock solutions

- Prepare five levels of matrix-matched calibration standards from intermediate solutions by using sample matrix extract and matrix buffer (20 mM ammonium formate) in concentrations of 1, 5, 10, 50, and 100 ppb
- Add the ILIS solution prior to sample preparation and use as an internal standard in the quantitative analysis

## **Procedure**

1. **Sample Preparation--orange, peach, spinach**
  - a) Weigh  $10 \pm 0.1$  g of cryoground sample into 50 mL centrifuge tube
  - b) Add 10 mL of 1% acetic acid in acetonitrile and contents of **EC4MSSA50CT-MP** pouch
  - c) Shake by hand then add 200  $\mu$ L of surrogate solution and a steel ball
  - d) Place on a Geno/Grinder shaker (or equivalent) for 1 min @ 1000 strokes/minute
  - e) When shaking is complete centrifuge @ 4500 rpm for 5 min
  - f) Transfer 9 mL of supernatant to a 15 mL centrifuge tube containing **ECMS12CPSA415CT**
  - g) Shake on Geno/Grinder for 1 min @ 500 strokes/min
  - h) Centrifuge @ 4500 rpm for 5 min
  - i) Transfer 2.0 mL of supernatant to injection vials for analysis. Filter cloudy extracts using 0.2 nylon or PTFE membrane filter directly into the LC autosampler vials
2. **Calibration Standards-- orange, peach, spinach**
  - a) Prepare matrix-matched calibration standards by mixing 300  $\mu$ L of 0.0167, 0.033, 0.067, 0.167, and 0.333 ppm standard solutions. Use 200  $\mu$ L of matrix blank extracts and 500  $\mu$ L of 20 mM ammonium formate sample buffer
  - b) Add 500  $\mu$ L of sample buffer just prior to sample analysis
  - c) Filter cloudy extracts using 0.2 nylon or PTFE membrane filter directly into the LC autosampler vials
  - d) Filtered samples should be clear and can be stored in a freezer until analysis

**1a. Sample Preparation--ginseng**

- a) Prepare ginseng samples by using  $1.0 \pm 0.05$  g of ginseng
- a) Add 10 mL of HPLC-grade water and a steel ball bearing
- b) Shake on a GenoGrinder at 1000 strokes/min for 1 minute
- c) Add 10 mL of 1% acetic acid in acetonitrile, 200  $\mu$ L of surrogate solution and contents of **EC4MSSA50CT-MP** pouch
- d) Shake by hand
- e) Place on a Geno/Grinder shaker (or equivalent) for 1 min @ 1000 strokes/minute
- f) When shaking is complete centrifuge @ 4500 rpm for 5 min
- g) Transfer 9 mL of supernatant to a 15 mL centrifuge tube containing **ECMS12CPSA415CT**
- h) Shake on Geno/Grinder for 1 min @ 500 strokes/min
- i) Centrifuge @ 4500 rpm for 5 min
- j) Transfer 2.0 mL of supernatant to injection vials for analysis. Filter cloudy extracts using 0.2 nylon or PTFE membrane filter directly into the LC autosampler vials

**2a. Calibration Standards--ginseng**

- a) Prepare matrix-matched calibration standards by adding 100  $\mu$ L of 0.033, 0.067, 0.167, 0.333, 0.8, 1.6 ppm standard solutions to 400  $\mu$ L of ginseng blank extracts
- b) Add 500  $\mu$ L of sample matrix buffer just prior to analysis to achieve matrix-matched calibration standards of 1.67, 3.33, 6.67, 16.7, 33.3, 80, and 160 ppb, respectively
- c) Filter using 0.2 m Nylon or PTFE membrane filters
- d) Filtered samples should be clear and can be stored in a freezer until analysis

**3. Sample Analysis**

- a) HPLC analysis with Shimadzu Prominence/20 series (Columbia, MD) or equivalent interfaced to an ABSciex (Forest City, CA) 4000QTrapmass spectrometer through an ESI interface (IonSpray)
- b) Acquire MRM data in positive ion mode

- c) Identify target pesticides using two specific MRM transitions for each pesticide to achieve an identification point (IP) of 4
- d) Quantify using either external standard calibration (NRCG) or internal standard calibration (FDA and MOE) with  ${}^2\text{H}_{10}$ -diazinon as IS
- e) Use N<sub>2</sub> of 99% purity from a nitrogen generator (Parker Balston, Haverhill, MA) in the ESI source and the collision cell
- f) Restek LC column (Bellefonte, PA; Ultra Aqueous, C-18, 100 x 2.1 mm, 3  $\mu\text{m}$ ) and guard column (Ultra Aqueous, C-18 cartridges, 10 x 2.1 mm in guard cartridge holder) or equivalent
- g) Curtain, collision, nebulizer, auxiliary gases, and source temperature of the ESI source were set at 15, 6, 35, and 45 psi and 450° C, respectively
- h) Ion spray voltage: 5200
- i) Declustering potential (DP), collision energy (CE), and collision cell exit potential (CXP) are optimized by direct infusion. The two most intense ion pairs of each analyte are chosen for the analysis. Values of DP, CE, and CXP and the two specific, most intense MRM pairs are listed in Table 3. Principal component analysis (PCA) is carried out using Infometrix Pirouette 4 (Bothell, WA)
- j) Table 2 lists mobile phases, column temperatures, injection volume, flow rate, and LC gradient parameters

**Table 2**

HPLC Gradient Elution Parameters	
<b>Mobil Phase</b>	<b>A:</b> 5 mM ammonium formate, 0.1% formic acid in water
	<b>B:</b> 5 mM ammonium formate, 0.1% formic acid in MeOH
<b>Column Temperature</b>	35° C
<b>Flow rate</b>	0.3 mL/min
<b>Total run time</b>	14.0 min
<b>Gradient program</b>	10% B at 0 min, hold for 1 min 5% B at 0 min 20% B at 0 min to 98%
<b>Injection volume</b>	20 $\mu\text{L}$

**Table 3**

**DP: declustering potential, V; CE: collision energy, V; CXP: collision cell exit potential**

Pesticide	Formula	Mol Wt	MRM Transitions		#1 DP	CE	CXP
			& #2				
<b>Carbofuran, 3OH-</b>	C <sub>12</sub> H <sub>15</sub> NO <sub>4</sub>	237	238→163 / 181		66	21	16
<b>Acephate</b>	C <sub>4</sub> H <sub>10</sub> NO <sub>3</sub> PS	183	184→143 / 49		61	13	4
<b>Acetamiprid</b>	C <sub>10</sub> H <sub>11</sub> N <sub>3</sub> CIN <sub>4</sub>	223	223→126 / 99		61	29	12
<b>Acibenzolar-S-methyl</b>	C <sub>8</sub> H <sub>6</sub> N <sub>2</sub> OS <sub>2</sub>	210	211→136 / 140		46	39	9
<b>Alanycarb</b>	C <sub>17</sub> H <sub>25</sub> N <sub>3</sub> O <sub>4</sub> S <sub>2</sub>	400	400→238 / 91		35	14	4
<b>Aldicarb sulfoxide</b>	C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O <sub>3</sub> S	206	207→132 / 89		30	10	8
<b>Aldicarb</b>	C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> S	190	208→116 / 89		36	11	10
<b>Aldicarb sulfone</b>	C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub> S	222	223→86 / 148		52	21	5
<b>Ametryn</b>	C <sub>9</sub> H <sub>17</sub> N <sub>5</sub> S	227	209→152 / 137		71	21	8
<b>Aminocarb</b>	C <sub>11</sub> H <sub>16</sub> N <sub>2</sub> O <sub>2</sub>	208	209→152 / 137		71	21	8
<b>Amitraz</b>	C <sub>19</sub> H <sub>23</sub> N <sub>3</sub>	293	294→163 / 107		46	21	4
<b>Avermectin B1a</b>	C <sub>48</sub> H <sub>72</sub> O <sub>14</sub>	873	895→751 / 449		176	61	20
<b>Avermectin B1b</b>	C <sub>48</sub> H <sub>70</sub> O <sub>14</sub>	859	890→567 / 305		76	23	18
<b>Azoxystrobin</b>	C <sub>22</sub> H <sub>17</sub> N <sub>3</sub> O <sub>5</sub>	403	404→372 / 344		51	19	4
<b>Benalaxyll</b>	C <sub>20</sub> H <sub>23</sub> NO <sub>3</sub>	325	326→148 / 294		71	31	8
<b>Bendiocarb</b>	C <sub>11</sub> H <sub>13</sub> NO <sub>4</sub>	223	224→109 / 167		61	27	20
<b>Benfuracarb</b>	C <sub>20</sub> H <sub>30</sub> N <sub>2</sub> O <sub>5</sub> S	411	411→195 / 252		50	30	4
<b>Benzoximate</b>	C <sub>18</sub> H <sub>18</sub> CINO <sub>5</sub>	364	364→199 / 105		51	13	14
<b>Bifenazate</b>	C <sub>17</sub> H <sub>20</sub> N <sub>2</sub> O <sub>3</sub>	300	301→170 / 198		61	29	10
<b>Bitertanol</b>	C <sub>20</sub> H <sub>23</sub> N <sub>3</sub> O <sub>2</sub>	337	338→70 / 269		51	31	12
<b>Boscalid</b>	C <sub>18</sub> H <sub>12</sub> Cl <sub>2</sub> N <sub>2</sub> O	343	343→307 / 140		91	27	4
<b>Bromuconazole 46</b>	C <sub>13</sub> H <sub>12</sub> BrC <sub>12</sub> N <sub>3</sub> O	377	378→159 / 70		61	37	14
<b>Bromuconazole 47</b>	C <sub>13</sub> H <sub>12</sub> BrC <sub>12</sub> N <sub>3</sub> O	377	378→159 / 70		61	37	14
<b>Bupirimate</b>	C <sub>13</sub> H <sub>24</sub> N <sub>4</sub> O <sub>3</sub> S	316	317→166 / 108		86	33	12
<b>Buprofezin</b>	C <sub>16</sub> H <sub>23</sub> N <sub>3</sub> OS	305	306→201 / 116		46	17	4
<b>Butafenacil</b>	C <sub>20</sub> H <sub>18</sub> ClF <sub>3</sub> N <sub>2</sub> O <sub>6</sub>	475	492→331 / 349		61	35	20
<b>Butocarboxin</b>	C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> S	190	213→75 / 116		50	20	5
<b>Butoxycarboxin</b>	C <sub>7</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub> S	222	223→106 / 166		45	15	8
<b>Carbaryl</b>	C <sub>12</sub> H <sub>11</sub> NO <sub>2</sub>	201	202→145 / 127		56	15	10
<b>Carbendazim</b>	C <sub>9</sub> H <sub>9</sub> N <sub>3</sub> O <sub>2</sub>	191	192→160 / 132		80	24	10
<b>Carbetamide</b>	C <sub>12</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub>	236	237→192 / 118		56	13	12
<b>Carbofuran</b>	C <sub>12</sub> H <sub>15</sub> NO <sub>3</sub>	221	222→123 / 165		66	31	22
<b>Carboxin</b>	C <sub>12</sub> H <sub>13</sub> NO <sub>2</sub> S	235	484→452 / 285		66	23	14
<b>Carfentrazone-ethyl</b>	C <sub>13</sub> H <sub>10</sub> Cl <sub>2</sub> F <sub>3</sub> N <sub>3</sub> O <sub>3</sub>	412	412→346 / 366		81	31	4
<b>Chlorfluazuron</b>	C <sub>20</sub> H <sub>9</sub> Cl <sub>3</sub> F <sub>5</sub> N <sub>3</sub> O <sub>3</sub>	541	540→158 / 383		91	27	4
<b>Chlorotoluron</b>	C <sub>10</sub> H <sub>13</sub> CIN <sub>2</sub> O	213	213→72 / 46		61	31	4
<b>Chloroxuron</b>	C <sub>15</sub> H <sub>15</sub> CINO <sub>2</sub>	291	291→72 / 218		65	30	4
<b>Clethodim</b>	C <sub>17</sub> H <sub>26</sub> CINO <sub>3</sub> S	360	360→164 / 268		61	29	10
<b>Clofentezine</b>	C <sub>14</sub> H <sub>18</sub> Cl <sub>2</sub> N <sub>4</sub>	303	303→138 / 102		61	23	8
<b>Clothianidin</b>	C <sub>6</sub> H <sub>8</sub> CIN <sub>5</sub> O <sub>2</sub> S	250	250→169 / 132		51	17	4
<b>Cyazofamid</b>	C <sub>13</sub> H <sub>13</sub> CIN <sub>4</sub> O <sub>2</sub> S	325	325→108 / 261		61	21	10
<b>Cycluron</b>	C <sub>11</sub> H <sub>22</sub> N <sub>2</sub> O	198	199→89 / 72		50	21	4
<b>Cymoxanil</b>	C <sub>7</sub> H <sub>10</sub> N <sub>4</sub> O <sub>3</sub>	198	199→128 / 111		60	13	4
<b>Cypoconazole A</b>	C <sub>15</sub> H <sub>18</sub> CIN <sub>3</sub> O	292	292→70 / 125		66	39	12
<b>Cypoconazole B</b>	C <sub>15</sub> H <sub>18</sub> CIN <sub>3</sub> O	292	292→70 / 125		66	39	12
<b>Cyprodinil</b>	C <sub>14</sub> H <sub>15</sub> N <sub>3</sub>	225	226→93 / 77		101	51	16
<b>Desmedipham</b>	C <sub>16</sub> H <sub>16</sub> N <sub>2</sub> O <sub>4</sub>	300	318→182 / 136		41	19	12
<b>Diclobutrazol</b>	C <sub>15</sub> H <sub>19</sub> Cl <sub>2</sub> N <sub>3</sub> O	328	328→70 / 158		81	49	12
<b>Dicrotophos</b>	C <sub>8</sub> H <sub>16</sub> NO <sub>5</sub> P	237	238→112 / 193		66	19	8
<b>Diethofencarb</b>	C <sub>14</sub> H <sub>21</sub> NO <sub>4</sub>	267	268→226 / 124		61	15	14

<b>Difenoconazole</b>	C <sub>19</sub> H <sub>17</sub> Cl <sub>2</sub> N <sub>3</sub> O <sub>3</sub>	406	406→251 / 253	81	37	16
<b>Diflubenzuron</b>	C <sub>14</sub> H <sub>9</sub> Cl <sub>2</sub> FN <sub>2</sub> O <sub>2</sub>	311	311→158 / 141	71	23	10
<b>Dimethoate</b>	C <sub>5</sub> H <sub>12</sub> NO <sub>3</sub> PS <sub>2</sub>	229	230→199 / 125	50	14	15
<b>Dimethomorph A</b>	C <sub>21</sub> H <sub>22</sub> CINO <sub>4</sub>	388	388→301 / 165	66	25	4
<b>Dimethomorph B</b>	C <sub>21</sub> H <sub>22</sub> CINO <sub>4</sub>	388	388→301 / 165	66	25	4
<b>Dimoxystrobin</b>	C <sub>19</sub> H <sub>22</sub> N <sub>2</sub> O <sub>3</sub>	326	327→205 / 116	40	15	4
<b>Diniconazole</b>	C <sub>15</sub> H <sub>17</sub> Cl <sub>2</sub> N <sub>3</sub> O	326	326→70 / 158	86	51	12
<b>Dioxacarb</b>	C <sub>11</sub> H <sub>13</sub> NO <sub>4</sub>	223	224→167 / 123	51	13	10
<b>Diuron</b>	C <sub>6</sub> H <sub>10</sub> Cl <sub>2</sub> N <sub>2</sub> O	233	233→72 / 72	56	33	4
<b>Doramectin</b>	C <sub>50</sub> H <sub>74</sub> O <sub>14</sub>	899	921→777 / 449	71	65	15
<b>Fenpyroximate</b>	C <sub>24</sub> H <sub>27</sub> N <sub>3</sub> O <sub>4</sub>	422	422→366 / 135	56	23	4
<b>Emamectin B<sub>1a</sub></b>	C <sub>49</sub> H <sub>75</sub> NO <sub>13</sub>	886	886→158 / 82	111	51	10
<b>Epoxiconazole</b>	C <sub>17</sub> H <sub>13</sub> CIFN <sub>3</sub> O	330	330→121 / 101	66	29	10
<b>Eprinomectin B<sub>1a</sub></b>	C <sub>50</sub> H <sub>75</sub> NO <sub>14</sub>	914	914→186 / 154	76	27	12
<b>Etaconazole</b>	C <sub>14</sub> H <sub>15</sub> Cl <sub>2</sub> N <sub>3</sub> O <sub>2</sub>	328	328→159 / 205	46	37	10
<b>Ethiofencarb</b>	C <sub>11</sub> H <sub>15</sub> NO <sub>2</sub> S	225	226→106 / 164	41	21	4
<b>Ethiprole</b>	C <sub>13</sub> H <sub>9</sub> Cl <sub>2</sub> F <sub>3</sub> N <sub>4</sub> OS	397	397→350 / 255	81	29	24
<b>Ethofumesate</b>	C <sub>13</sub> H <sub>18</sub> O <sub>5</sub> S	286	287→121 / 259	81	23	8
<b>Etoxazole</b>	C <sub>21</sub> H <sub>23</sub> F <sub>2</sub> NO <sub>2</sub>	359	360→141 / 57	76	45	4
<b>Famoxadone</b>	C <sub>22</sub> H <sub>18</sub> N <sub>2</sub> O <sub>4</sub>	374	392→331 / 238	31	15	4
<b>Fenamidone</b>	C <sub>17</sub> H <sub>17</sub> N <sub>3</sub> OS	311	312→92 / 236	66	39	16
<b>Fenarimol</b>	C <sub>17</sub> N <sub>12</sub> Cl <sub>2</sub> N <sub>2</sub> O	331	331→268 / 81	61	31	4
<b>Fenazaquin</b>	C <sub>20</sub> H <sub>22</sub> N <sub>2</sub> O	306	307→161 / 147	71	25	12
<b>Fenbuconazole</b>	C <sub>19</sub> H <sub>17</sub> CIN <sub>4</sub>	337	337→124 / 70	81	41	8
<b>Fenhexamid</b>	C <sub>14</sub> H <sub>17</sub> Cl <sub>2</sub> NO <sub>2</sub>	302	302→97 / 55	66	35	18
<b>Fenoxy carb</b>	C <sub>17</sub> H <sub>19</sub> NO <sub>4</sub>	301	302→88 / 116	66	31	6
<b>Fenpropimorph</b>	C <sub>20</sub> H <sub>33</sub> NO	303	304→147 / 117	66	39	4
<b>Fenuron</b>	C <sub>9</sub> H <sub>12</sub> N <sub>2</sub> O	164	165→72 / 46	56	25	4
<b>Fludioxinil</b>	C <sub>12</sub> H <sub>6</sub> F <sub>2</sub> N <sub>2</sub> O <sub>2</sub>	248	266→229 / 227	41	23	14
<b>Flufenacet</b>	C <sub>14</sub> H <sub>13</sub> F <sub>4</sub> N <sub>3</sub> O <sub>2</sub> S	363	364→152 / 194	51	29	10
<b>Flufenoxuron</b>	C <sub>21</sub> H <sub>11</sub> CIF <sub>6</sub> N <sub>2</sub> O <sub>3</sub>	489	489→158 / 141	86	29	10
<b>Fluometuron</b>	C <sub>10</sub> H <sub>11</sub> F <sub>3</sub> N <sub>2</sub> O	232	233→72 / 46	71	37	12
<b>Fluoxastrobin</b>	C <sub>21</sub> H <sub>16</sub> CIFN <sub>4</sub> O <sub>5</sub>	459	459→427 / 188	55	28	4
<b>Fluquinconazole</b>	C <sub>16</sub> H <sub>8</sub> Cl <sub>2</sub> FN <sub>5</sub> O	376	376→307 / 349	71	33	4
<b>Flusilazole</b>	C <sub>16</sub> H <sub>15</sub> F <sub>2</sub> N <sub>3</sub> Si	315	316→247 / 165	81	27	16
<b>Flutolanil</b>	C <sub>17</sub> H <sub>16</sub> F <sub>3</sub> NO <sub>2</sub>	323	324→262 / 242	76	27	16
<b>Flutriafol</b>	C <sub>16</sub> H <sub>13</sub> F <sub>2</sub> N <sub>3</sub> O	301	302→70 / 123	66	37	12
<b>Forchlorfenuron</b>	C <sub>12</sub> H <sub>10</sub> CIN <sub>3</sub> O	248	248→129 / 93.	52	25	4
<b>Formetanate HCl</b>	C <sub>11</sub> H <sub>15</sub> N <sub>3</sub> O <sub>2</sub>	221	222→165 / 120	60	21	12
<b>Fuberidazole</b>	C <sub>11</sub> H <sub>8</sub> N <sub>2</sub> O	184	185→157 / 65	81	33	14
<b>Furalaxyd</b>	C <sub>17</sub> H <sub>19</sub> NO <sub>4</sub>	301	302→95 / 242	56	41	18
<b>Furathiocarb</b>	C <sub>18</sub> H <sub>26</sub> N <sub>2</sub> O <sub>5</sub> S	382	383→195 / 252	76	27	12
<b>Hexaconazole</b>	C <sub>14</sub> H <sub>17</sub> Cl <sub>2</sub> N <sub>3</sub> O	314	314→70 / 159	56	41	12
<b>Hexaflumuron</b>	C <sub>16</sub> H <sub>8</sub> Cl <sub>2</sub> F <sub>6</sub> N <sub>2</sub> O <sub>3</sub>	461	461→158 / 141	56	25	4
<b>Hexythiazox</b>	C <sub>17</sub> H <sub>21</sub> CIN <sub>2</sub> O <sub>2</sub> S	353	353→228 / 168	61	23	14
<b>Hydramethylnon</b>	C <sub>25</sub> H <sub>24</sub> F <sub>6</sub> N <sub>4</sub>	494	495→323 / 151	146	45	20
<b>Imazalil</b>	C <sub>14</sub> H <sub>14</sub> Cl <sub>2</sub> N <sub>2</sub> O	297	297→159 / 201	66	33	14
<b>Imidacloprid</b>	C <sub>9</sub> H <sub>10</sub> CIN <sub>5</sub> O <sub>2</sub>	256	256→209 / 175	61	23	12
<b>Indoxacarb</b>	C <sub>22</sub> H <sub>17</sub> CIF <sub>3</sub> N <sub>3</sub> O <sub>7</sub>	528	528→203 / 218	86	55	12
<b>Ipcnazole</b>	C <sub>18</sub> H <sub>24</sub> CIN <sub>3</sub> O	334	334→70 / 125	76	55	12
<b>Iprovalicarb</b>	C <sub>18</sub> H <sub>28</sub> N <sub>2</sub> O <sub>3</sub>	320	321→119 / 203	66	29	8
<b>Isoprocarb</b>	C <sub>11</sub> H <sub>15</sub> NO <sub>2</sub>	193	194→95 / 137	61	23	16
<b>Isoproturon</b>	C <sub>12</sub> H <sub>18</sub> N <sub>2</sub> O	206	207→72 / 46	66	29	4
<b>Isoxaflutole</b>	C <sub>15</sub> H <sub>12</sub> F <sub>2</sub> NO <sub>4</sub> S	359	377→251 / 360	36	41	16
<b>Ivermectin</b>	C <sub>48</sub> H <sub>74</sub> O <sub>14</sub>	875	897→754 / 610	65	65	8
<b>Kresoxim-methyl</b>	C <sub>18</sub> H <sub>19</sub> NO <sub>4</sub>	313	314→116 / 206	51	21	4
<b>Linuron</b>	C <sub>9</sub> H <sub>10</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>2</sub>	249	249→160 / 182	61	23	4

<b>Lufenuron</b>	C <sub>9</sub> H <sub>10</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>2</sub>	511	511→158 / 141	61	27	4
<b>Mefenacet</b>	C <sub>16</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> S	298	299→148 / 120	56	21	10
<b>Mepanipyrim</b>	C <sub>14</sub> H <sub>13</sub> N <sub>3</sub>	223	224→106 / 77	86	37	8
<b>Mepronil</b>	C <sub>17</sub> H <sub>19</sub> NO <sub>2</sub>	269	270→119 / 228	76	33	8
<b>Mesotrione</b>	C <sub>14</sub> H <sub>13</sub> NO <sub>7</sub> S	339	357→228 / 288	60	31	9
<b>Metalaxyd</b>	C <sub>15</sub> H <sub>21</sub> NO <sub>4</sub>	279	280→220 / 192	61	21	14
<b>Metconazole.1</b>	C <sub>17</sub> H <sub>22</sub> CIN <sub>3</sub> O	319	320→70 / 125	81	51	12
<b>Methabenzhiazuron</b>	C <sub>10</sub> H <sub>11</sub> N <sub>3</sub> OS	221	222→165 / 150	51	21	4
<b>Methamidophos</b>	C <sub>2</sub> H <sub>8</sub> NO <sub>2</sub> PS	141	142→94 / 125	55	20	4
<b>Methiocarb</b>	C <sub>11</sub> H <sub>15</sub> NO <sub>2</sub> S	225	226→169 / 121	61	13	12
<b>Methomyl</b>	C <sub>5</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> S	162	163→88 / 106	35	12	5
<b>Methoprotryne</b>	C <sub>11</sub> H <sub>21</sub> N <sub>5</sub> OS	271	272→240 / 198	50	27	4
<b>Methoxyfenozide</b>	C <sub>22</sub> H <sub>28</sub> N <sub>2</sub> O <sub>3</sub>	368	369→149 / 313	56	25	10
<b>Metobromuron</b>	C <sub>9</sub> H <sub>11</sub> BrN <sub>2</sub> O <sub>2</sub>	259	259→170 / 148	56	23	4
<b>Metribuzin</b>	C <sub>8</sub> H <sub>14</sub> N <sub>4</sub> OS	214	215→84 / 187	71	29	4
<b>Mevinphos-Z</b>	C <sub>7</sub> H <sub>13</sub> O <sub>6</sub> P	224	225→127 / 193	55	20	8
<b>Mevinphos-E</b>	C <sub>7</sub> H <sub>13</sub> O <sub>6</sub> P	224	225→127 / 193	55	20	8
<b>Mexacarbate</b>	C <sub>12</sub> H <sub>18</sub> N <sub>2</sub> O <sub>2</sub>	222	223→166 / 151	66	23	12
<b>Monocrotophos</b>	C <sub>7</sub> H <sub>14</sub> NO <sub>5</sub> P	223	224→127 / 98	51	23	12
<b>Monolinuron</b>	C <sub>9</sub> H <sub>11</sub> CIN <sub>2</sub> O <sub>2</sub>	215	215→126 / 99	51	23	4
<b>Moxidectin</b>	C <sub>37</sub> H <sub>53</sub> NO <sub>8</sub>	640	662→549 / 467	90	45	16
<b>Myclobutanil</b>	C <sub>15</sub> H <sub>17</sub> CIN <sub>4</sub>	289	289→70 / 125	71	37	12
<b>Neburon</b>	C <sub>12</sub> H <sub>16</sub> Cl <sub>2</sub> N <sub>2</sub> O	275	275→88 / 114	56	23	4
<b>Nitenpyram</b>	C <sub>11</sub> H <sub>15</sub> CIN <sub>4</sub> O <sub>2</sub>	271	271→225 / 126	51	17	14
<b>Novaluron</b>	C <sub>17</sub> H <sub>9</sub> ClF <sub>8</sub> N <sub>2</sub> O <sub>4</sub>	493	493→158 / 141	71	27	4
<b>Nuarimol</b>	C <sub>17</sub> H <sub>12</sub> CIFN <sub>2</sub> O	315	315→252 / 81	81	31	16
<b>Omethoate</b>	C <sub>5</sub> H <sub>12</sub> NO <sub>4</sub> PS	213	214→124 / 182	46	29	4
<b>Oxadixyl</b>	C <sub>14</sub> H <sub>18</sub> N <sub>2</sub> O <sub>4</sub>	278	279→219 / 132	61	17	14
<b>Oxamyl</b>	C <sub>7</sub> H <sub>13</sub> N <sub>3</sub> O <sub>3</sub> S	219	237→72 / 90	36	25	4
<b>Pacobutrazol</b>	C <sub>15</sub> H <sub>20</sub> CIN <sub>3</sub> O	294	294→70 / 125	66	49	12
<b>Penconazole</b>	C <sub>13</sub> H <sub>15</sub> Cl <sub>2</sub> N <sub>3</sub>	284	284→159 / 70	71	39	10
<b>Phenmedipham</b>	C <sub>16</sub> H <sub>16</sub> N <sub>2</sub> O <sub>4</sub>	300	301→136 / 168	50	26	4
<b>Picoxystrobin</b>	C <sub>18</sub> H <sub>16</sub> F <sub>3</sub> NO <sub>4</sub>	367	368→145 / 205	56	27	4
<b>Piperonyl butoxide</b>	C <sub>19</sub> H <sub>30</sub> O <sub>5</sub>	338	356→177 / 119	51	19	10
<b>Pirimicarb</b>	C <sub>11</sub> H <sub>18</sub> N <sub>4</sub> O <sub>2</sub>	238	239→72 / 182	66	35	12
<b>Prochloraz</b>	C <sub>15</sub> H <sub>16</sub> Cl <sub>3</sub> N <sub>3</sub> O <sub>2</sub>	377	376→308 / 70	46	17	10
<b>Promecarb</b>	C <sub>12</sub> H <sub>17</sub> NO <sub>2</sub>	207	208→109 / 151	36	23	8
<b>Prometon</b>	C <sub>10</sub> H <sub>19</sub> N <sub>5</sub> O	225	226→142 / 86	76	33	10
<b>Prometryn</b>	C <sub>10</sub> H <sub>19</sub> N <sub>5</sub> S	241	242→200 / 158	71	19	4
<b>Propamocarb</b>	C <sub>9</sub> H <sub>20</sub> N <sub>2</sub> O <sub>2</sub>	188	189→102 / 144	61	25	8
<b>Propargite</b>	C <sub>19</sub> H <sub>26</sub> O <sub>4</sub> S	350	368→231 / 175	46	15	14
<b>Propham</b>	C <sub>10</sub> H <sub>13</sub> NO <sub>2</sub>	179	180→138 / 120	36	13	10
<b>Propiconazole</b>	C <sub>15</sub> H <sub>17</sub> Cl <sub>2</sub> N <sub>3</sub> O <sub>2</sub>	342	342→159 / 69	61	39	10
<b>Propoxur</b>	C <sub>11</sub> H <sub>15</sub> NO <sub>3</sub>	209	210→111 / 168	39	19	6
<b>Pymetrozine</b>	C <sub>10</sub> H <sub>11</sub> H <sub>5</sub> O	217	218→105 / 78	71	27	4
<b>Pyracarbolid</b>	C <sub>13</sub> H <sub>15</sub> NO <sub>2</sub>	217	218→125 / 97	61	27	8
<b>Pyraclostrobin</b>	C <sub>19</sub> H <sub>18</sub> CIN <sub>3</sub> O <sub>4</sub>	388	388→194 / 163	31	19	4
<b>Pyridaben</b>	C <sub>19</sub> H <sub>25</sub> CIN <sub>2</sub> OS	365	365→147 / 309	46	31	4
<b>Pyrimethanil</b>	C <sub>12</sub> H <sub>13</sub> N <sub>3</sub>	199	200→107 / 82	71	33	4
<b>Pyriproxyfen</b>	C <sub>20</sub> H <sub>19</sub> NO <sub>3</sub>	321	322→96 / 185	46	21	4
<b>Quinoxyfen</b>	C <sub>15</sub> H <sub>8</sub> Cl <sub>2</sub> FNO	308	308→162 / 197	81	65	10
<b>Rotenone</b>	C <sub>23</sub> H <sub>22</sub> O <sub>6</sub>	394	395→213 / 192	91	33	14
<b>Secbumeton</b>	C <sub>10</sub> H <sub>15</sub> N <sub>5</sub> O	225	226→170 / 100	50	35	4
<b>Siduron</b>	C <sub>14</sub> H <sub>20</sub> N <sub>2</sub> O	232	233→137 / 94	66	21	4
<b>Simetryne</b>	C <sub>8</sub> H <sub>15</sub> N <sub>5</sub> S	213	214→124 / 144	51	27	4
<b>Spinosyn A</b>	C <sub>41</sub> H <sub>65</sub> NO <sub>10</sub>	732	748→142 / 98	86	45	8
<b>Spirodiclofen</b>	C <sub>21</sub> H <sub>24</sub> Cl <sub>2</sub> O <sub>4</sub>	411	411→313 / 71	71	17	8

<b>Spiromefesin</b>	C <sub>23</sub> H <sub>30</sub> O <sub>4</sub>	370	371→273 / 255	71	19	8
<b>Spiroxamine</b>	C <sub>18</sub> H <sub>35</sub> NO <sub>2</sub>	297	298→144 / 100	76	29	12
<b>Sulfentrazone</b>	C <sub>11</sub> H <sub>10</sub> Cl <sub>2</sub> F <sub>2</sub> N <sub>4</sub> O <sub>3</sub> S	387	387→307 / 146	81	27	4
<b>Tebuconazole</b>	C <sub>16</sub> H <sub>22</sub> CIN <sub>3</sub> O	308	308→70 / 125	81	49	12
<b>Tebufenozide</b>	C <sub>22</sub> H <sub>28</sub> N <sub>2</sub> O <sub>2</sub>	352	353→133 / 297	51	25	10
<b>Tebufenpyrad</b>	C <sub>18</sub> H <sub>24</sub> CIN <sub>3</sub> O	334	334→117 / 145	71	47	4
<b>Tebuthiuron</b>	C <sub>9</sub> H <sub>16</sub> N <sub>4</sub> OS	228	229→172 / 116	46	21	4
<b>Teflubenzuron</b>	C <sub>14</sub> H <sub>6</sub> Cl <sub>2</sub> F <sub>4</sub> N <sub>2</sub> O <sub>2</sub>	381	381→141 / 158	66	53	4
<b>Terbumeton</b>	C <sub>10</sub> H <sub>19</sub> N <sub>5</sub> O	225	226→170 / 100	76	27	12
<b>Terbutryn</b>	C <sub>10</sub> H <sub>19</sub> N <sub>5</sub> S	241	242→186 / 68	71	27	12
<b>Tetraconazole</b>	C <sub>13</sub> H <sub>11</sub> Cl <sub>2</sub> F <sub>4</sub> N <sub>3</sub> O	372	372→159 / 70	76	45	10
<b>Thiabendazole</b>	C <sub>10</sub> H <sub>7</sub> N <sub>3</sub> S	201	202→175 / 131	85	35	12
<b>Thiacloprid</b>	C <sub>10</sub> H <sub>9</sub> CIN <sub>4</sub> S	253	253→126 / 99	71	31	10
<b>Thiamethoxam</b>	C <sub>8</sub> H <sub>10</sub> CIN <sub>5</sub> O <sub>3</sub> S	292	292→211 / 181	61	19	12
<b>Thidiazuron</b>	C <sub>9</sub> H <sub>8</sub> N <sub>4</sub> OS	220	221→102 / 127	66	21	4
<b>Thiobencarb</b>	C <sub>12</sub> H <sub>16</sub> CINOS	258	258→125 / 89	56	27	8
<b>Thiofanox</b>	C <sub>9</sub> H <sub>18</sub> N <sub>2</sub> O <sub>2</sub> S	218	219→76 / 57	36	20	8
<b>Thiophanate-methyl</b>	C <sub>12</sub> H <sub>14</sub> N <sub>4</sub> O <sub>4</sub> S <sub>2</sub>	342	343→151 / 311	61	29	14
<b>Triadimefon</b>	C <sub>14</sub> H <sub>16</sub> CIN <sub>3</sub> O <sub>2</sub>	294	294→197 / 225	66	23	14
<b>Triadimenol</b>	C <sub>14</sub> H <sub>18</sub> CIN <sub>3</sub> O <sub>2</sub>	296	296→70 / 227	46	31	12
<b>Tricyclazole</b>	C <sub>9</sub> H <sub>7</sub> N <sub>3</sub> S	189	190→163 / 136	81	33	10
<b>Trifloxystrobin</b>	C <sub>20</sub> H <sub>19</sub> F <sub>3</sub> N <sub>2</sub> O <sub>4</sub>	408	409→186 / 206	31	23	4
<b>Triflumizole</b>	C <sub>15</sub> H <sub>15</sub> ClF <sub>3</sub> N <sub>3</sub> O	346	346→278 / 73	51	15	8
<b>Triflumuron</b>	C <sub>15</sub> H <sub>10</sub> ClF <sub>3</sub> N <sub>2</sub> O <sub>3</sub>	359	359→156 / 139	51	23	4
<b>Triticonazole</b>	C <sub>17</sub> H <sub>20</sub> CIN <sub>3</sub> O	318	318→70 / 125	66	45	12
<b>Vamidothion</b>	C <sub>8</sub> H <sub>18</sub> NO <sub>4</sub> PS <sub>2</sub>	287	288→146 / 118	61	19	10
<b>Zoxamide</b>	C <sub>14</sub> H <sub>16</sub> Cl <sub>3</sub> NO <sub>2</sub>	337	336→187 / 159	45	35	15
<b>D10-Diazinon</b>	C <sub>12</sub> D <sub>10</sub> H <sub>11</sub> N <sub>2</sub> O <sub>3</sub> PS	314	315→170	50	29	4
<b>D6-Dimethoate</b>	C <sub>5</sub> D <sub>6</sub> H <sub>6</sub> NO <sub>3</sub> PS <sub>2</sub>	235	236→131	50	30	4
<b>D6-diuron</b>	C <sub>9</sub> D <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> N <sub>2</sub> O	239	239→78	90	30	4
<b>D6-Linuron</b>	C <sub>9</sub> D <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>2</sub>	255	255→166	90	30	4
<b>D6-Dichlorvos</b>	C <sub>4</sub> D <sub>6</sub> H <sub>1</sub> Cl <sub>2</sub> O <sub>4</sub> P	227	227→115	70	27	4
<b>D6-Malathion</b>	C <sub>10</sub> D <sub>6</sub> H <sub>13</sub> O <sub>6</sub> PS <sub>2</sub>	330	337→291	55	12	4

\*Summarized with permission from Wong, Jon, Hao, Chunyan, Zhang, Kai, et al., J. Agric. Food Chem.

2010, 58, 5897–5903 5897, DOI:10.1021/jf903849n

Listing of instrument manufacturers does not constitute endorsement by UCT